

DM204 – Spring 2011  
Scheduling, Timetabling and Routing

Lecture 11  
**Vehicle Routing**

Marco Chiarandini

Department of Mathematics & Computer Science  
University of Southern Denmark

1. Vehicle Routing

2. Integer Programming

## ✓ Scheduling

- ✓ Classification
- ✓ Complexity issues
- ✓ Single Machine
- ✓ Parallel Machine
- ✓ Flow Shop and Job Shop
- ✓ Resource Constrained Project Scheduling Model

## ● Timetabling

- ✓ Sport Timetabling
- ✓ Reservations and Education
- ✓ University Timetabling
- ✓ Crew Scheduling
- ✓ Public Transports

## ● Vehicle Routing

- MIP Approaches
- Construction Heuristics
- Local Search Algorithms

1. Vehicle Routing

2. Integer Programming

1. Vehicle Routing

2. Integer Programming

# Problem Definition

Vehicle Routing: distribution of goods between depots and customers.

Delivery, collection, transportation.


Examples: solid waste collection, street cleaning, school bus routing, dial-a-ride systems, transportation of handicapped persons, routing of salespeople and maintenance unit.

## Vehicle Routing Problems

**Input:** Vehicles, depots, road network, costs and customers requirements.

**Output:** Set of routes such that:

- requirement of customers are fulfilled,
- operational constraints are satisfied and
- a global transportation cost is minimized.



# Refinement

## Road Network

- represented by a (directed or undirected) complete graph
- travel costs and travel times on the arcs obtained by shortest paths

## Customers

- vertices of the graph
- collection or delivery demands
- time windows for service
- service time
- subset of vehicles that can serve them
- priority (if not obligatory visit)



## Vehicles

- capacity
- types of goods
- subsets of arcs traversable
- fix costs associated to the use of a vehicle
- distance dependent costs
- a-priori partition of customers
- home depot in multi-depot systems
- drivers with union contracts

## Operational Constraints

- vehicle capacity
- delivery or collection
- time windows
- working periods of the vehicle drivers
- precedence constraints on the customers

## Objectives

- minimization of global transportation cost (variable + fixed costs)
- minimization of the number of vehicles
- balancing of the routes
- minimization of penalties for un-served customers

## History:

Dantzig, Ramser “The truck dispatching problem”, Management Science, 1959

Clark, Wright, “Scheduling of vehicles from a central depot to a number of delivery points”. Operation Research. 1964

# Vehicle Routing Problems

- Capacitated (and Distance Constrained) VRP (CVRP and DCVRP)
- VRP with Time Windows (VRPTW)
- VRP with Backhauls (VRPB)
- VRP with Pickup and Delivery (VRPPD)
- Periodic VRP (PVRP)
- Multiple Depot VRP (MDVRP)
- Split Delivery VRP (SDVRP)
- VRP with Satellite Facilities (VRPSF)
- Site Dependent VRP
- Open VRP
- Stochastic VRP (SVRP)
- ...

**Input:** (common to all VRPs)

- (di)graph (strongly connected, typically complete)  $G(V, A)$ , where  $V = \{0, \dots, n\}$  is a vertex set:
  - $0$  is the depot.
  - $V' = V \setminus \{0\}$  is the set of  $n$  customers
  - $A = \{(i, j) : i, j \in V\}$  is a set of arcs
- $C$  a matrix of non-negative costs or distances  $c_{ij}$  between customers  $i$  and  $j$  (shortest path or Euclidean distance)  
( $c_{ik} + c_{kj} \geq c_{ij} \quad \forall i, j \in V$ )
- a non-negative vector of customer demands  $d_i$
- a set of  $K$  (identical!) vehicles with capacity  $Q$ ,  $d_i \leq Q$

**Task:**

Find collection of  $K$  circuits with minimum cost, defined as the sum of the costs of the arcs of the circuits and such that:

- each circuit visits the depot vertex
- each customer vertex is visited by exactly one circuit; and
- the sum of the demands of the vertices visited by a circuit does not exceed the vehicle capacity  $Q$ .

**Note:** lower bound on  $K$

- $\lceil d(V')/Q \rceil$
- number of bins in the associated *Bin Packing Problem*

A **feasible solution** is composed of:

- a partition  $R_1, \dots, R_m$  of  $V$ ;
- a permutation  $\pi^i$  of  $R_i \cup 0$  specifying the order of the customers on route  $i$ .

A route  $R_i$  is feasible if  $\sum_{i=\pi_1}^{\pi_m} d_i \leq Q$ .

The cost of a given route ( $R_i$ ) is given by:  $F(R_i) = \sum_{i=\pi_0}^{\pi_m} c_{i,i+1}$

The cost of the problem solution is:  $F_{VRP} = \sum_{i=1}^m F(R_i)$  .

## Relation with TSP

- VRP with  $K = 1$ , no limits, no (any) depot, customers with no demand  
→ TSP
- VRP is a generalization of the Traveling Salesman Problem (TSP) → is NP-Hard.
- VRP with a depot,  $K$  vehicles with no limits, customers with no demand  
→ Multiple TSP = one origin and  $K$  salesman
- Multiple TSP is transformable in a TSP by adding  $K$  identical copies of the origin and making costs between copies infinite.

## Variants of CVRP:

- minimize number of vehicles
- different vehicles  $Q_k, k = 1, \dots, K$
- Distance-Constrained VRP: length  $t_{ij}$  on arcs and total duration of a route cannot exceed  $T$  associated with each vehicle  
 Generally  $c_{ij} = t_{ij}$   
 (Service times  $s_i$  can be added to the travel times of the arcs:  
 $t'_{ij} = t_{ij} + s_i/2 + s_j/2$ )
- Distance constrained CVRP



# Vehicle Routing with Time Windows (VRPTW)


## Further Input:

- each vertex is also associated with a time interval  $[a_i, b_i]$ .
- each arc is associated with a travel time  $t_{ij}$
- each vertex is associated with a service time  $s_i$

## Task:

Find a collection of  $K$  simple circuits with minimum cost, such that:

- each circuit visit the depot vertex
- each customer vertex is visited by exactly one circuit; and
- the sum of the demands of the vertices visited by a circuit does not exceed the vehicle capacity  $Q$ .
- for each customer  $i$ , the service starts within the time windows  $[a_i, b_i]$  (it is allowed to wait until  $a_i$  if early arrive)



Time windows induce an orientation of the routes.

## Variants

- Minimize number of routes
- Minimize hierarchical objective function
- Makespan VRP with Time Windows (MPTW)  
minimizing the completion time
- Delivery Man Problem with Time Windows (DMPTW)  
minimizing the sum of customers waiting times

- Integer Programming
- Construction Heuristics
- Local Search
- Metaheuristics
- Hybridization with Constraint Programming

1. Vehicle Routing

2. Integer Programming

- arc flow formulation
  - integer variables on the edges counting the number of time it is traversed
  - one, two or three index variables
- set partitioning formulation
- multi-commodity network flow formulation for VRPTW
  - integer variables representing the flow of commodities along the paths traveled by the vehicles and
  - integer variables representing times

## Two index arc flow formulation

$$\min \sum_{i \in V} \sum_{j \in V} c_{ij} x_{ij} \quad (1)$$

$$\text{s.t.} \quad \sum_{i \in V} x_{ij} = 1 \quad \forall j \in V \setminus \{0\} \quad (2)$$

$$\sum_{j \in V} x_{ij} = 1 \quad \forall i \in V \setminus \{0\} \quad (3)$$

$$\sum_{i \in V} x_{i0} = K \quad (4)$$

$$\sum_{j \in V} x_{0j} = K \quad (5)$$

$$\sum_{i \in S} \sum_{j \notin S} x_{ij} \geq r(S) \quad \forall S \subseteq V \setminus \{0\}, S \neq \emptyset \quad (6)$$

$$x_{ij} \in \{0, 1\} \quad \forall i, j \in V \quad (7)$$

## One index arc flow formulation

$$\min \sum_{e \in E} c_e x_e \quad (8)$$

$$\text{s.t.} \quad \sum_{e \in \delta(i)} x_e = 2 \quad \forall i \in V \setminus \{0\} \quad (9)$$

$$\sum_{e \in \delta(0)} x_e = 2K \quad (10)$$

$$\sum_{e \in \delta S} x_e \geq 2r(S) \quad \forall S \subseteq V \setminus \{0\}, S \neq \emptyset \quad (11)$$

$$x_e \in \{0, 1\} \quad \forall e \notin \delta(0) \quad (12)$$

$$x_e \in \{0, 1, 2\} \quad \forall e \in \delta(0) \quad (13)$$



## Three index arc flow formulation

$$\min \sum_{i \in V} \sum_{j \in V} c_{ij} \sum_{k=1}^K x_{ijk} \quad (14)$$

$$\text{s.t.} \quad \sum_{k=1}^K y_{ik} = 1 \quad \forall i \in V \setminus \{0\} \quad (15)$$

$$\sum_{k=1}^K y_{0k} = K \quad (16)$$

$$\sum_{j \in V} x_{ijk} = \sum_{j \in V} x_{jik} = y_{ik} \quad \forall i \in V, k = 1, \dots, K \quad (17)$$

$$\sum_{i \in V} d_i y_{ik} \leq C \quad \forall k = 1, \dots, K \quad (18)$$

$$\sum_{i \in S} \sum_{j \notin S} x_{ijk} \geq y_{hk} \quad \forall S \subseteq V \setminus \{0\}, h \in S, k = 1, \dots, K \quad (19)$$

$$y_{ik} \in \{0, 1\} \quad \forall i \in V, k = 1, \dots, K \quad (20)$$

$$x_{ijk} \in \{0, 1\} \quad \forall i, j \in V, k = 1, \dots, K \quad (21)$$

# Set Covering Formulation

$\mathcal{R} = \{1, 2, \dots, R\}$  index set of routes

$$a_{ir} = \begin{cases} 1 & \text{if customer } i \text{ is served by } r \\ 0 & \text{otherwise} \end{cases}$$

$$x_r = \begin{cases} 1 & \text{if route } r \text{ is selected} \\ 0 & \text{otherwise} \end{cases}$$

$$\min \sum_{r \in \mathcal{R}} c_r x_r \quad (22)$$

$$\text{s.t.} \quad \sum_{r \in \mathcal{R}} a_{ir} x_r \geq 1 \quad \forall i \in V \quad (23)$$

$$\sum_{r \in \mathcal{R}} x_r \leq K \quad (24)$$

$$x_r \in \{0, 1\} \quad \forall r \in \mathcal{R} \quad (25)$$

$$(26)$$

What can we do with these integer programs?

- plug them into a commercial solver and try to solve them
- preprocess them
- determine lower bounds
  - solve the linear relaxation
  - combinatorial relaxations
    - relax some constraints and get an easy solvable problem
  - Lagrangian relaxation
  - polyhedral study to tighten the formulations
- upper bounds via heuristics
- branch and bound
- cutting plane
- branch and cut
- Dantzig Wolfe decomposition
- column generation (via reformulation)
- branch and price

# Combinatorial Relaxations

## Lower bounding via combinatorial relaxations

Relax: capacity cut constraints (CCC)  
or generalized subtour elimination constraints (GSEC) Consider both ACVRP  
and SCVRP

- Relax CCC in 2-index formulation  
obtain a transportation problem  
Solution may contain isolated circuits and exceed vertex capacity
- Relax CCC in 1-index formulation  
obtain a b-matching problem

$$\begin{array}{ll} \min & \sum_{e \in E} c_e x_e \\ \text{s.t.} & \sum_{e \in \delta(i)} x_e = b_i \quad \forall i \in V \setminus \{0\} \\ & x_e \in \{0, 1\} \quad \forall e \notin \delta(0) \\ & x_e \in \{0, 1, 2\} \quad \forall e \in \delta(0) \end{array}$$

Solution has same problems as above

- relax in two index flow formulation:

$$\begin{aligned}
 \min \quad & \sum_{i \in V} \sum_{j \in V} c_{ij} x_{ij} \\
 \text{s.t.} \quad & \sum_{i \in V} x_{ij} = 1 && \forall j \in V \setminus \{0\} \\
 & \sum_{j \in V} x_{ij} = 1 && \forall i \in V \setminus \{0\} \\
 & \sum_{i \in V} x_{i0} = K \\
 & \sum_{j \in V} x_{0j} = K \\
 & \sum_{i \in S} \sum_{i \notin S} x_{ij} \geq r(S) \mathbf{1} && \forall S \subseteq V \setminus \{0\}, S \neq \emptyset \\
 & x_{ij} \in \{0, 1\} && \forall i, j \in V
 \end{aligned}$$

K-shortest spanning arborescence problem

- relax in two index formulation

$$\begin{aligned}
 \min \quad & \sum_{e \in E} c_e x_e \\
 \text{s.t.} \quad & \sum_{e \in \delta(i)} x_e = 2 && \forall i \in V \setminus \{0\} \\
 & \sum_{e \in \delta(0)} x_e = 2K \\
 & \sum_{e \in \delta S} x_e \geq 2r(S) && \forall S \subseteq V \setminus \{0\}, S \neq \emptyset \\
 & x_e \in \{0, 1\} && \forall e \notin \delta(0)
 \end{aligned}$$

K-tree: min cost set of  $n + K$  edges spanning the graph with degree  $2K$  at the depot.

- Lagrangian relaxation of the sub tour constraints iteratively added after violation recognized by separation procedure.  
 Subgradient optimization for the multipliers

# Branch and Cut

$$\min \sum_{e \in E} c_e x_e \quad (27)$$

$$\text{s.t.} \quad \sum_{e \in \delta(i)} x_e = 2 \quad \forall i \in V \setminus \{0\} \quad (28)$$

$$\sum_{e \in \delta(0)} x_e = 2K \quad (29)$$

$$\sum_{e \in \delta S} x_e \geq 2 \left\lceil \frac{d(S)}{C} \right\rceil \quad \forall S \subseteq V \setminus \{0\}, S \neq \emptyset \quad (30)$$

$$x_e \in \{0, 1\} \quad \forall e \notin \delta(0) \quad (31)$$

$$x_e \in \{0, 1, 2\} \quad \forall e \in \delta(0) \quad (32)$$

# Branch and Cut

- Let  $LP(\infty)$  be linear relaxation of IP
- $Z_{LP(\infty)} \leq Z_{IP}$
- Problems if many constraints
- Solve  $LP(h)$  instead and add constraints later
- If  $LP(h)$  has integer solution and no constraint unsatisfied then we are done, that is optimal  
If not, then  $Z_{LP(h)} \leq Z_{LP(h+1)} \leq Z_{LP(\infty)} \leq Z_{IP}$
- Crucial step: [separation algorithm](#) given a solution to  $LP(h)$  it tell us if some constraints are violated.

If the procedure does not return an integer solution we proceed by branch and bound



## Problems with B&C:

- i) no good algorithm for the separation phase  
it may be not exact in which case bounds relations still hold and we can go on with branching
- ii) number of iterations for cutting phase is too high
- iii) program unsolvable because of size
- iv) **the tree explodes**

The main problem is (iv).

Worth trying to **strengthen** the linear relaxation by inequalities that although unnecessary in the integer formulation force the optimal solution of LP and IP to get closer. ➡ **Polyhedral studies**

# On the Set Covering Formulation

Solving the SCP integer program

## Branch and bound

- generate routes such that:
  - they are good in terms of cost
  - they reduce the potential for fractional solutions
- constraint branching [Ryan, Foster, 1981]

$$\exists \text{ constraints } r_1, r_2 : 0 < \sum_{j \in J(r_1, r_2)} x_j < 1$$

$J(r_1, r_2)$  all columns covering  $r_1, r_2$  simultaneously. Branch on:

$$\sum_{j \in J(r_1, r_2)} x_j \leq 0$$

$$\sum_{j \in J(r_1, r_2)} x_j \geq 1$$


Solving the SCP linear relaxation

### Column Generation Algorithm

- Step 1 Generate an initial set of columns  $\mathcal{R}'$
- Step 2 Solve problem  $P'$  and get optimal primal variables,  $\bar{x}$ , and optimal dual variables,  $(\bar{\pi}, \bar{\theta})$
- Step 3 Solve problem CG, or identify routes  $r \in \mathcal{R}$  satisfying  $\bar{c}_r < 0$
- Step 4 For every  $r \in \mathcal{R}$  with  $\bar{c}_r < 0$  add the column  $r$  to  $\mathcal{R}'$  and go to Step 2
- Step 5 If no routes  $r$  have  $\bar{c}_r < 0$ , i.e.,  $\bar{c}_{min} \geq 0$  then stop.

In most of the cases we are left with a fractional solution

# Convergence in CG



Solving the SCP integer program:

- cutting plane
- branch and price

### Cutting Plane Algorithm

**Step 1** Generate an initial set  $\mathcal{R}'$  of columns

**Step 2** Solve, using column generation, the problem  $P'$  (linear programming relaxation of  $P$ )

**Step 3** If the optimal solution to  $P'$  is integer stop.  
Else, generate **cutting plane** separating this fractional solution.  
Add these cutting planes to the linear program  $P'$

**Step 4** Solve the linear program  $P'$ . Goto Step 3.

Is the solution to this procedure overall optimal?

## Cuts

**Intersection** graph  $G = (V, E)$  where  $V$  are the routes and  $E$  is made by the links between routes that intercept  
Independence set in  $G$  is a collection of routes where each customer is visited only once.

### Clique constraints

$$\sum_{r \in K} \bar{x}_r \leq 1 \quad \forall \text{ cliques } K \text{ of } G$$


Cliques searched heuristically

### Odd holes

Odd hole: odd cycle with no chord

$$\sum_{r \in H} \bar{x}_r \leq \frac{|H| - 1}{2} \quad \forall \text{ odd holes } H$$

Generation via layered graphs



[illustration by Stefano Gualandi, Milan Un.]  
(the pricing problem is for a GCP)

## Branch and price

- it must be possible to incorporate information on the node in the column generation procedure
- easy to incorporate  $x_r = 1$ , just omit nodes in  $S_r$  from generation; but not clear how to impose  $x_r = 0$ .
- different branching: on the edges:  $x_{ij} = 1$  then in column generation set  $c_{ij} = -\infty$ ; if  $x_{ij} = 0$  then  $c_{ij} = \infty$