

DM841

Heuristics for Combinatorial Optimization

## Very Large Scale Neighborhoods

Marco Chiarandini

Department of Mathematics & Computer Science  
University of Southern Denmark

# Course Overview

- ✓ Combinatorial Optimization, Methods and Models
- ✓ CH and LS: overview
- ✓ Working Environment and Solver Systems
- ✓ Methods for the Analysis of Experimental Results
- ✓ Construction Heuristics
- ✓ Local Search: Components, Basic Algorithms
- ✓ Efficient Local Search: Incremental Updates and Neighborhood Pruning
- ✓ Local Search: Neighborhoods and Search Landscape
- ✓ Stochastic Local Search & Metaheuristics
- ✗ Configuration Tools: F-race
  - ▶ Very Large Scale Neighborhoods

Examples: GCP, CSP, TSP, SAT, MaxIndSet, SMTWP, Steiner Tree, Unrelated Parallel Machines, p-median, set covering, QAP, ...

# Very Large Scale Neighborhoods

Small neighborhoods:

- ▶ might be short-sighted
- ▶ need many steps to traverse the search space

Large neighborhoods

- ▶ introduce large modifications to reach higher quality solutions
- ▶ allow to traverse the search space in few steps

**Key idea:** use **very large** neighborhoods that can be searched efficiently (preferably in polynomial time) or are searched heuristically

# Very large scale neighborhood search

1. define an exponentially large neighborhood  
(though,  $O(n^3)$  might already be large)
2. define a polynomial time search algorithm to search the neighborhood  
(= solve the [neighborhood search problem, NSP](#))
  - ▶ exactly (leads to a best improvement strategy)
  - ▶ heuristically (some improving moves might be missed)

# Examples of VLSN Search

[Ahuja, Ergun, Orlin, Punnen, 2002]

- ▶ based on concatenation of simple moves
  - ▶ Variable Depth Search (TSP, GP)
  - ▶ Ejection Chains
- ▶ based on Dynamic Programming or Network Flows
  - ▶ Dynasearch (ex. SMTWTP)
  - ▶ Weighted Matching based neighborhoods (ex. TSP)
  - ▶ Cyclic exchange neighborhood (ex. VRP)
  - ▶ Shortest path
- ▶ based on polynomially solvable special cases of hard combinatorial optimization problems
  - ▶ Pyramidal tours
  - ▶ Halin Graphs

# Outline

1. Variable Depth Search
2. Ejection Chains
3. Dynasearch
4. Weighted Matching Neighborhoods
5. Cyclic Exchange Neighborhoods

# Variable Depth Search

- ▶ **Key idea:** *Complex steps* in large neighborhoods = variable-length sequences of *simple steps* in small neighborhood.
- ▶ Use various *feasibility restrictions* on selection of simple search steps to limit time complexity of constructing complex steps.
- ▶ Perform Iterative Improvement w.r.t. complex steps.

## Variable Depth Search (VDS):

determine initial candidate solution  $s$

**while**  $s$  is not locally optimal **do**

$\hat{t} := s$

**repeat**

        select best feasible neighbor  $t$  of  $\hat{t}$

**if**  $f(t) < f(\hat{t})$  **then**

$\hat{t} := t$

$s := \hat{t}$

**until** construction of complex step has been completed;

# Graph Partitioning

## Graph Partitioning

**Given:**  $G = (V, E)$ , weighted function  $\omega : V \rightarrow \mathbf{R}$ , a positive number  $p$ :  $0 < w_i \leq p, \forall i$  and a connectivity matrix  $C = [c_{ij}] \in \mathbf{R}^{|V| \times |V|}$ .

**Task:** A  $k$ -partition of  $G, V_1, V_2, \dots, V_k$ :  $\bigcup_{i=1}^k V_i = G$  such that:

- ▶ it is admissible, ie,  $|V_i| \leq p$  for all  $i$  and
- ▶ it has minimum cost, ie, the sum of  $c_{ij}, i, j$  that belong to different subsets is minimal




# VLSN for the Traveling Salesman Problem

- ▶  $k$ -exchange heuristics
  - ▶ 2-opt [Flood, 1956, Croes, 1958]
  - ▶ 2.5-opt or 2H-opt
  - ▶ Or-opt [Or, 1976]
  - ▶ 3-opt [Block, 1958]
  - ▶  $k$ -opt [Lin 1965]
  
- ▶ complex neighborhoods
  - ▶ Lin-Kernighan [Lin and Kernighan, 1965]
  - ▶ Helsgaun's Lin-Kernighan
  - ▶ Dynasearch
  - ▶ Ejection chains approach

## The Lin-Kernighan (LK) Algorithm for the TSP (1)

- ▶ Complex search steps correspond to sequences of 2-exchange steps and are constructed from sequences of *Hamiltonian paths*
- ▶  $\delta$ -path: Hamiltonian path  $p$  + 1 edge connecting one end of  $p$  to interior node of  $p$



## Basic LK exchange step:

- ▶ Start with Hamiltonian path  $(u, \dots, v)$ :



- ▶ Obtain  $\delta$ -path by adding an edge  $(v, w)$ :



- ▶ Break cycle by removing edge  $(w, v')$ :



- ▶ *Note:* Hamiltonian path can be completed into Hamiltonian cycle by adding edge  $(v', u)$ :



## Construction of complex LK steps:

1. start with current candidate solution (Hamiltonian cycle)  $s$ ;  
set  $t^* := s$ ;  
set  $p := s$
2. obtain  $\delta$ -path  $p'$  by replacing one edge in  $p$
3. consider Hamiltonian cycle  $t$  obtained from  $p$  by  
(uniquely) defined edge exchange
4. if  $w(t) < w(t^*)$  then  
set  $t^* := t$ ;  $p := p'$ ; go to step 2  
else accept  $t^*$  as new current candidate solution  $s$

**Note:** This can be interpreted as sequence of 1-exchange steps that alternate between  $\delta$ -paths and Hamiltonian cycles.

## Mechanisms used by LK algorithm:

- ▶ *Pruning exact rule*: If a sequence of numbers has a positive sum, there is a cyclic permutation of these numbers such that every partial sum is positive.
  - ➡ need to consider only gains whose partial sum remains positive
- ▶ *Tabu restriction*: Any edge that has been added cannot be removed and any edge that has been removed cannot be added in the same LK step.  
*Note*: This limits the number of simple steps in a complex LK step.
- ▶ *Limited form of backtracking* ensures that local minimum found by the algorithm is optimal w.r.t. standard 3-exchange neighborhood
- ▶ (For further details, see original article)

[LKH Helsgaun's implementation

<http://www.akira.ruc.dk/~keld/research/LKH/> (99 pages report)]

# Outline

1. Variable Depth Search
2. Ejection Chains
3. Dynasearch
4. Weighted Matching Neighborhoods
5. Cyclic Exchange Neighborhoods

# Ejection Chains

- ▶ Attempt to use large neighborhoods without examining them exhaustively
- ▶ Sequences of successive steps each influenced by the precedent and determined by myopic choices
- ▶ Limited in length
- ▶ Local optimality in the large neighborhood is not guaranteed.

## Example (on TSP):

successive 2-exchanges where each exchange involves one edge of the previous exchange

## Example (on GCP):

successive 1-exchanges: a vertex  $v_1$  changes color from  $\varphi(v_1) = c_1$  to  $c_2$ , in turn forcing some vertex  $v_2$  with color  $\varphi(v_2) = c_2$  to change to another color  $c_3$  (which may be different or equal to  $c_1$ ) and again forcing a vertex  $v_3$  with color  $\varphi(v_3) = c_3$  to change to color  $c_4$ .

# Outline

1. Variable Depth Search
2. Ejection Chains
3. Dynasearch
4. Weighted Matching Neighborhoods
5. Cyclic Exchange Neighborhoods



# Dynasearch

- ▶ Iterative improvement method based on building complex search steps from combinations of **mutually independent** search steps
- ▶ **Mutually independent** search steps do not interfere with each other wrt effect on evaluation function and feasibility of candidate solutions.

*Example:* Independent 2-exchange steps for the TSP:



*Therefore:* Overall effect of complex search step = sum of effects of constituting simple steps;  
 complex search steps maintain feasibility of candidate solutions.

- ▶ **Key idea:** Efficiently find optimal combination of mutually independent simple search steps using *Dynamic Programming*.

# Dynasearch for SMTWTP

- ▶ two interchanges  $\delta_{jk}$  and  $\delta_{lm}$  are **independent** if  $\max\{j, k\} < \min\{l, m\}$  or  $\min\{l, k\} > \max\{l, m\}$ ;
- ▶ the dynasearch neighborhood is obtained by a series of independent interchanges;
- ▶ it has size  $2^{n-1} - 1$ ;
- ▶ but a best move can be found in  $O(n^3)$  searched by dynamic programming;
- ▶ it yields in average better results than the interchange neighborhood alone.

**Table 1 Data for the Problem Instance**

Job $j$	1	2	3	4	5	6
Processing time $p_j$	3	1	1	5	1	5
Weight $w_j$	3	5	1	1	4	4
Due date $d_j$	1	5	3	1	3	1

**Table 2 Swaps Made by Best-Improve Descent**

Iteration	Current Sequence	Total Weighted Tardiness
	1 2 3 4 5 6	109
1	1 2 3 5 4 6	90
2	1 2 3 5 6 4	75
3	5 2 3 1 6 4	70

**Table 3 Dynasearch Swaps**

Iteration	Current Sequence	Total Weighted Tardiness
	1 2 3 4 5 6	109
1	1 3 2 5 4 6	89
2	1 5 2 3 6 4	68
3	5 1 2 3 6 4	67

► state  $(k, \pi)$

►  $\pi_k$  is the partial sequence at state  $(k, \pi)$  that has  $\min \sum wT$

►  $\pi_k$  is obtained from state  $(i, \pi)$

$$\begin{cases} \text{appending job } \pi(k) \text{ after } \pi(i) & i = k - 1 \\ \text{appending job } \pi(k) \text{ and interchanging } \pi(i + 1) \text{ and } \pi(k) & 0 \leq i < k - 1 \end{cases}$$

►  $F(\pi_0) = 0; \quad F(\pi_1) = w_{\pi(1)} (p_{\pi(1)} - d_{\pi(1)})^+;$

$$F(\pi_k) = \min \begin{cases} F(\pi_{k-1}) + w_{\pi(k)} (C_{\pi(k)} - d_{\pi(k)})^+, \\ \min_{1 \leq i < k-1} \{ F(\pi_i) + w_{\pi(k)} (C_{\pi(i)} + p_{\pi(k)} - d_{\pi(k)})^+ + \\ \quad + \sum_{j=i+2}^{k-1} w_{\pi(j)} (C_{\pi(j)} + p_{\pi(k)} - p_{\pi(i+1)} - d_{\pi(j)})^+ + \\ \quad + w_{\pi(i+1)} (C_{\pi(k)} - d_{\pi(i+1)})^+ \} \end{cases}$$

- ▶ The best choice is computed by recursion in  $O(n^3)$  and the optimal series of interchanges for  $F(\pi_n)$  is found by backtrack.
- ▶ Local search with dynasearch neighborhood starts from an initial sequence, generated by ATC, and at each iteration applies the best dynasearch move, until no improvement is possible (that is,  $F(\pi_n^t) = F(\pi_n^{(t-1)})$ , for iteration  $t$ ).
- ▶ Speedups:
  - ▶ pruning with considerations on  $p_{\pi(k)}$  and  $p_{\pi(i+1)}$
  - ▶ maintainig a string of late, no late jobs
  - ▶  $h_t$  largest index s.t.  $\pi^{(t-1)}(k) = \pi^{(t-2)}(k)$  for  $k = 1, \dots, h_t$  then  $F(\pi_k^{(t-1)}) = F(\pi_k^{(t-2)})$  for  $k = 1, \dots, h_t$  and at iter  $t$  no need to consider  $i < h_t$ .

Dynasearch, refinements:

- ▶ [Grosso et al. 2004] add insertion moves to interchanges.
- ▶ [Ergun and Orlin 2006] show that dynasearch neighborhood can be searched in  $O(n^2)$ .

## Performance:

- ▶ exact solution via branch and bound feasible up to 40 jobs [Potts and Wassenhove, Oper. Res., 1985]
- ▶ exact solution via time-indexed integer programming formulation used to lower bound in branch and bound solves instances of 100 jobs in 4-9 hours [Pan and Shi, Math. Progm., 2007]
- ▶ dynasearch: results reported for 100 jobs within a 0.005% gap from optimum in less than 3 seconds [Grosso et al., Oper. Res. Lett., 2004]

# Outline

1. Variable Depth Search
2. Ejection Chains
3. Dynasearch
4. **Weighted Matching Neighborhoods**
5. Cyclic Exchange Neighborhoods



# Weighted Matching Neighborhoods

- ▶ **Key idea** use basic polynomial time algorithms, example: weighted matching in bipartied graphs, shortest path, minimum spanning tree.
- ▶ Neighborhood defined by finding a minimum cost matching on a (bipartite) improvement graph

## Example (TSP)

Neighborhood: Eject  $k$  nodes and reinsert them optimally

# Outline


1. Variable Depth Search
2. Ejection Chains
3. Dynasearch
4. Weighted Matching Neighborhoods
5. Cyclic Exchange Neighborhoods

# Cyclic Exchange Neighborhoods

- ▶ Possible for problems where solution can be represented as form of partitioning
- ▶ Definition of a **partitioning problem**:  
**Given:** a set  $W$  of  $n$  elements, a collection  $\mathcal{T} = \{T_1, T_2, \dots, T_k\}$  of subsets of  $W$ , such that  $W = T_1 \cup \dots \cup T_k$  and  $T_i \cap T_j = \emptyset$ , and a cost function  $c: \mathcal{T} \rightarrow \mathbf{R}$ :  
**Task:** Find another partition  $\mathcal{T}'$  of  $W$  by means of single exchanges between the sets such that

$$\min \sum_{i=1}^k c(T_i)$$

- ▶ Cyclic exchange:




## Neighborhood search


- ▶ Define an **improvement graph**
- ▶ Solve the relative
  - ▶ Subset Disjoint *Negative* Cost Cycle Problem
  - ▶ Subset Disjoint *Minimum* Cost Cycle Problem

# Example (GCP)


Neighborhood Structures: Very Large Scale Neighborhood




One Exchange



Path Exchange



Swap





Cyclic Exchange

# Example (GCP)

## Examination of the Very Large Scale Neighborhood

Exponential size but can be searched efficiently



Improvement Graph

A **Subset Disjoint Negative Cost Cycle Problem** in the Improvement Graph can be solved by dynamic programming in  $O(|V|^2 2^k |D'|)$ .

Yet, heuristic rules can be adopted to reduce the complexity to  $O(|V'|^2)$

### Procedure SDNCC( $G'(V', D')$ )

Let  $\mathcal{P}$  all negative cost paths of length 1, Mark all paths in  $\mathcal{P}$  as untreated

Initialize the best cycle  $q^* = ()$  and  $c^* = 0$

**for all**  $p \in \mathcal{P}$  **do**

**if**  $(e(p), s(p)) \in D'$  and  $c(p) + c(e(p), s(p)) < c^*$  **then**

$q^* =$  the cycle obtained by closing  $p$  and  $c^* = c(q^*)$

**while**  $\mathcal{P} \neq \emptyset$  **do**

    Let  $\hat{\mathcal{P}} = \mathcal{P}$  be the set of untreated paths

$\mathcal{P} = \emptyset$

**while**  $\exists p \in \hat{\mathcal{P}}$  untreated **do**

        Select some untreated path  $p \in \hat{\mathcal{P}}$  and mark it as treated

**for all**  $(e(p), j) \in D'$  s.t.  $w_{\varphi(v_j)}(p) = 0$  **and**  $c(p) + c(e(p), j) < 0$  **do**

            Add the extended path  $(s(p), \dots, e(p), j)$  to  $\mathcal{P}$  as untreated

**if**  $(j, s(p)) \in D'$  and  $c(p) + c(e(p), j) + c(j, s(p)) < c^*$  **then**

$q^* =$  the cycle obtained closing the path  $(s(p), \dots, e(p), j)$

$c^* = c(q^*)$

**for all**  $p' \in \mathcal{P}$  subject to  $w(p') = w(p)$ ,  $s(p') = s(p)$ ,  $e(p') = e(p)$  **do**

            Remove from  $\mathcal{P}$  the path of higher cost between  $p$  and  $p'$

**return** a minimal negative cost cycle  $q^*$  of cost  $c^*$