## **E-R Model**

Rolf Fagerberg

DM26, Fall 2005

### E-R Model

### The Entity-Relationship Model:

[Chen, 1976]

- Conceptual data model widely used in DB area.
- Simple:
  - Entities ( $\sim$  objects).
  - Relationships between entities ( $\sim$  tuples of entities).
  - Entities and relationships can have attributes (simple types/domains: integers, strings, booleans...).
- Graphical version: E-R diagrams.
- There are standard ways to convert to relational model (discussed later).

Note: different variations of E-R model exist.

## Further Details of the E-R Model

- Key of entity set (minimal)
- Candidate key, primary key
- Arity of relationships
- Roles

#### Key constraints:

One-to-one, one-to-many (many-to-one), many-to-many.

### Participation Constraints:

Total participation, partial participation.

# **Advanced Concepts in the E-R Model**

- Weak entity sets
- ISA hierarchies (inheritance)
- Aggregations

## **Notes**

 Data modeling is a way of expressing our perception of the world. Our choices are definitions.

#### Goals:

- Capture as many aspects of real world as possible.
- Avoid redundancy.
- Avoid weak entity sets. Do not be afraid of creating IDs for entities if necessary.
- It takes practice to do well.
- There can be several (good) solutions.
- E-R model (or any other model) cannot capture all semantics.
- Other data models can be used (e.g. UML, or modeling directly in the relational model).