

• What is the language of the following DFA?



What is the language of the following DFA?



- Define a DFA that recognises the following language:
 - All strings of 0s and 1s that contain an odd number of 1s and any number of 0s.

- Define a DFA that recognises the following language:
 - All strings of 0s and 1s that contain the string 010.

- Define a DFA that recognises the following language:
 - All strings of 0s and 1s that contain at least two occurrences of 10 and an even number of 0s.

• What is the language of the following CFG?

 $S \rightarrow ab$

 $S \rightarrow SS$

• Write two different derivations for the string 0001111 with the following CFG. (Same end result, but some different intermediate steps.)

$$S \rightarrow 0M1$$

$$M \rightarrow M1$$

$$M \rightarrow 0M$$

$$M \rightarrow 0$$

$$M \rightarrow 1$$

• What is the language of the following CFG?

$$S \rightarrow 0MM1$$

$$M \rightarrow 0M$$

$$M \rightarrow 1M$$

$$M \rightarrow 0$$

$$M \rightarrow 1$$

- Define a CFG that recognises the following language:
 - All strings of 0s and 1s consisting of n 0s followed by n 1s.
 - Examples: 0011 is OK, 1100 is not OK, 011 is not OK.

• Define a DFA that recognises the same language of this CFG:

```
S \rightarrow 0M
S \rightarrow 1
M \rightarrow 0S
M \rightarrow 1T
T \rightarrow 0M
T \rightarrow 1T
```

- Define a CFG that recognises the following language:
 - All strings of arithmetic additions that contain numbers, the + sign, and (balanced) parentheses.
 - Examples: (0+1) is OK, (2+(3))+4 is OK, 2+3(2) is not OK.