

DM560
Introduction to Programming in C++

Developing a Program

Marco Chiarandini

Department of Mathematics & Computer Science
University of Southern Denmark

[Based on slides by Bjarne Stroustrup]

Outline

1. Writing a Program
2. A First Version
3. Improvements

Outline

1. Writing a Program

2. A First Version

3. Improvements

Overview

We focus on the task of designing a program through the example of a simple “desk calculator.”

- Some thoughts on software development
- The idea of a calculator
- Using a grammar
- Expression evaluation
- Program organization

Developing a Program

- Analysis
 - Refine our understanding of the problem
 - Think of the final use of our program
- Design
 - Create an overall structure for the program
- Implementation
 - Write code
 - Debug
 - Test
- Go through these stages repeatedly

Reminder

- We **learn by example**
 - Not by just seeing explanations of principles
 - Not just by understanding programming language rules
- The more and the more varied examples the better
 - You won't get it right the first time
 - "You can't learn to ride a bike from a correspondence course"

Developing a Program: Example

We'll build a program in stages, making lot of “typical mistakes” along the way

- Even experienced programmers make mistakes
- Designing a good program is genuinely difficult
- It's often faster to let the compiler detect gross mistakes than to try to get every detail right the first time
- Concentrate on the important design choices
- Developing a simple, incomplete version allows us to experiment and get feedback
- Good programs are “grown”

A Simple Calculator

- Given expressions as input from the keyboard, evaluate them and write out the resulting value.

For example:

Expression: $2+2$ Result: 4

Expression: $2+2*3$ Result: 8

Expression: $2+3-25/5$ Result: 0

- Let's refine this a bit more ...

A Pseudo-Code

A first idea in pseudo code:

```
int main()
{
    variables
    while (get a line) {           // what is a line?
        analyze the expression    // what does that mean?
        evaluate the expression
        print the result
    }
}
```

- How do we represent $45+5/7$ as data?
- How do we find $45 + 5 /$ and 7 in an input string?
- How do we make sure that $45+5/7$ means $45+(5/7)$ rather than $(45+5)/7$?
- Should we allow floating-point numbers (sure!)
- Can we have variables? $v=7$; $m=9$; $v*m$ (later)

A Simple Calculator

- Wait! What would the experts do?
“Don’t re-invent the wheel”
- Computers have been evaluating expressions for 50+ years
There has to be a solution!
What did the experts do?
- Reading is good for you
Asking more experienced friends/colleagues can be far more effective, pleasant, and time-effective than slogging along on your own

Outline

1. Writing a Program

2. A First Version

3. Improvements

Expression Grammar

This is what the experts usually do: write a **grammar**:

```
Expression :  
    Term  
    Expression '+' Term          e.g., 1+2,   (1-2)+3,   2*3+1  
    Expression '-' Term  
  
Term :  
    Primary  
    Term '*' Primary            e.g., 1*2,   (1-2)*3.5  
    Term '/' Primary  
    Term '%' Primary  
  
Primary :  
    Number                     e.g., 1,   3.5  
    '(' Expression ')'  
                                e.g., (1+2*3)  
  
Number :  
    floating-point literal      e.g., 3.14, 0.274e1, or 42 - as defined for C++
```

A program is built out of **Tokens** (e.g., numbers and operators) = something we consider a unit.

Grammars

What's a grammar?

- A set of (syntax) rules for expressions.
- The rules say how to analyze (“parse”) an expression.
- Some rules seem hard-wired into our brains

Example, you know what this means:

$2*3+4/2$

birds fly but fish swim

- You know that this is wrong:

$2 * + 3 4/2$

fly birds fish but swim

- How can we teach what we know to a computer?

Why is it right/wrong?

How do we know?

Grammars - “English”


Parsing a simple English sentence

Sentence :
Noun Verb
Sentence Conjunction Sentence

Conjunction :
“and”
“or”
“but”

Noun :
“birds”
“fish”
“C++”

Verb :
“rules”
“fly”
“swim”



Grammars - Expressions

Parsing the number 2

Expression:

Term

Expression "+" Term

Expression "-" Term

Term:

Primary

Term "*" Primary

Term "/" Primary

Term "%" Primary

Primary:

Number

"(" Expression ")"

Number:

floating-point-literal

Expression

Term

Primary

Number


floating-point-literal

2

Grammars - Expressions

Parsing the expression 2 + 3

Expression:
Term
Expression "+" Term
Expression "-" Term
Term:
Primary
Term "*" Primary
Term "/" Primary
Term "%" Primary
Primary:
Number
 "(" Expression ")"
Number:
floating-point-literal



Grammars - Expressions


Parsing the expression $45 + 11.5 * 7$

Expression:
Term
Expression "+" Term
Expression "-" Term

Term:
Primary
Term "*" Primary
Term "/" Primary
Term "%" Primary

Primary:
Number
 "(" Expression ")"

Number:
floatingpoint-literal



Functions for Parsing

We need functions to match the grammar rules

```
get()    // read characters and compose tokens
         // calls cin for input

expression()    // deal with + and -
                // calls term() and get()

term()    // deal with *, /, and %
         // calls primary() and get()

primary()    // deal with numbers and parentheses
             // calls expression() and get()
```

- Note: each function deals with a specific part of an expression and leaves everything else to other functions – this radically simplifies each function.
- Analogy: a group of people can deal with a complex problem by each person handling only problems in his/her own specialty, leaving the rest for colleagues.

Function Return Types

What should the parser functions return? How about the result?

```
Token get_token();           // read characters and compose tokens
double expression();         // deal with + and -
                             //      return the sum (or difference)
double term(); // deal with *, /, and %
               //      return the product (or ...)
double primary();           // deal with numbers and parentheses
                             //      return the value
```

What is a **Token**?

What is a Token?

- We want to see input as a stream of tokens
 - We read characters `1 + 4*(4.5-6)` (That's 13 characters incl. 2 spaces)
 - 9 tokens in that expression: `1 + 4 * (4.5 - 6)`
 - 6 kinds of tokens in that expression: number `+` `*` `(` `-` `)`
- We want each token to have two parts
 - A “kind”; e.g., number
 - A value; e.g., 4
- We need a type to represent this “Token” idea
 - We need to define a `class` (Chp. 7). For now:
 - `get_token()` gives us the next token from input
 - `t.kind` gives us the kind of the token
 - `t.value` gives us the value of the token

Dealing with + and -

Expression:

Term

Expression '+' Term // Note: every Expression starts with a Term

Expression '-' Term

```
double expression()    // read and evaluate: 1    1+2.5    1+2+3.14    etc.
{
    double left = term();                // get the Term
    while (true) {
        Token t = get_token();          // get the next token...
        switch (t.kind) {                // ... and do the right thing with it
            case '+':    left += term(); break;
            case '-':    left -= term(); break;
            default:     return left;     // return the value of the expression
        }
    }
}
```

Dealing with $*$, $/$ and $\%$

```
Term :  
    Primary  
    Term '*' Primary // Note: every Term starts with a Primary  
    Term '/' Primary
```

```
double term()    // exactly like expression(), but for *, /, and %  
{  
    double left = primary();                // get the Primary  
    while (true) {  
        Token t = get_token();              // get the next Token...  
        switch (t.kind) {  
            case '*':    left *= primary(); break;  
            case '/':    left /= primary(); break;  
            case '%':    left %= primary(); break;  
            default:     return left;         // return the value  
        }  
    }  
}  
} // Oops: doesn't compile: % isn't defined for floating-point numbers
```

Dealing with * and /

```
Term :  
    Primary  
    Term '*' Primary // Note: every Term starts with a Primary  
    Term '/' Primary
```

```
double term()    // exactly like expression(), but for *, and /  
{  
    double left = primary();           // get the Primary  
    while (true) {  
        Token t = get_token();         // get the next Token  
        switch (t.kind) {  
            case '*':    left *= primary(); break;  
            case '/':    left /= primary(); break;  
            default:     return left;    // return the value  
        }  
    }  
}
```

Dealing with Divide by 0

```
double term()    // exactly like expression(), but for * and /
{
    double left = primary();                // get the Primary
    while (true) {
        Token t = get_token();              // get the next Token
        switch (t.kind) {
            case '*':    left *= primary();  break;
            case '/':
            {
                double d = primary();
                if (d==0) runtime_error("divide by zero");
                left /= d;
                break;
            }
            default:      return left;        // return the value
        }
    }
}
```

Note: in `switch` you need a block `{ }` if you want to declare variables in a `case`


Dealing with Numbers and Parentheses

Primary :
 Number
 '(' Expression ')'
Number :
 floating-point literal

```
double primary()          // Number or '(' Expression ')'  
{  
    Token t = get_token();  
    switch (t.kind) {  
        case '(':          // handle '('expression ')'   
        {  
            double d = expression();  
            t = get_token();  
            if (t.kind != ')') runtime_error("'')' expected");  
            return d;  
        }  
        case '8':          // we use '8' to represent the "kind" of a number  
            return t.value; // return the number's value  
        default:  
            runtime_error("primary expected");  
    }  
}
```

Program Organization

Who calls whom? (note the loop)



The Program

```
// #include "std_lib_facilities.h"
#include <iostream>
#include <stdexcept>

// Token stuff (explained in the next lecture)

double expression(); // declaration so that primary() can call expression()

double primary() { /* ... */ } // deal with numbers and parentheses
double term() { /* ... */ } // deal with * and / (pity about %)
double expression() { /* ... */ } // deal with + and -

int main() { /* ... */ } // on next slide
```

The Program - `main()`

```
int main()
try {
    while (cin)
        cout << expression() << '\n';
    // keep_window_open(); // for some Windows versions
}
catch (runtime_error& e) {
    cerr << e.what() << endl;
    // keep_window_open ();
    return 1;
}
catch (...) {
    cerr << "exception \n";
    // keep_window_open ();
    return 2;
}
```

Find the code in Sheet 4.

Execution

```
2
3
4
2          // an answer
5+6
5          // an answer
X
Bad token  // an answer (finally, an expected answer)
```

A Detective Job

- Expect “mysteries”
- Your first try rarely works as expected
 - That's normal and to be expected even for experienced programmers
 - If it looks as if it works be suspicious and test a bit more
 - Now comes the debugging finding out why the program misbehaves
- We have to understand what our code is doing and explain why it does the right thing
- Analyzing our errors is often also the best way to find a correct solution

```
1 2 3 4+5 6+7 8+9 10 11 12
1                               // an answer
4                               // an answer
6                               // an answer
8                               // an answer
10                              // an answer
```

Aha! Our program “eats” two out of three inputs.

How come?

Let's have a look at `expression()`

Dealing with + and -

Expression:

Term

Expression '+' Term // Note: every Expression starts with a Term

Expression '-' Term

```
double expression()    // read and evaluate: 1    1+2.5    1+2+3.14    etc.
{
    double left = term();                // get the Term
    while (true) {
        Token t = get_token();           // get the next token...
        switch (t.kind) {                // ... and do the right thing with it
            case '+':    left += term(); break;
            case '-':    left -= term(); break;
            default:     return left;      //  <= does not use "next Token"
        }
    }
}
```


Dealing with + and -

So, we need a way to “put back” a token!

- Put back into what?
- “the input,” of course: we need an input stream of tokens, a “token stream”

```
double expression()    // deals with '+' and '-'
{
    double left = term();           // get the Term
    while (true) {
        Token t = get();           // get the next token from a token stream
        switch (t.kind) {          // ... and do the right thing with it
            case '+':               left += term(); break;
            case '-':               left -= term(); break;
            default:                ts.putback(t); return left; // put the unused token back
        }
    }
}
```

Dealing with * and /

Now make the same change to `term()`

```
double term()    // deal with * and /
{
    double left = primary();
    while (true) {
        Token t = ts.get(); // get the next Token from input
        switch (t.kind) {
            case '*':
                // deal with *
            case '/':
                // deal with /
            default:
                ts.putback(t); // put unused token back into input stream
                return left;
        }
    }
}
```

The Program

- Now the program sort of work
- We get feedback and it starts the fun

Another Case for our Detective

```
2 3 4 2+3 2*3
2          an answer
3          an answer
4          an answer
5          an answer
```

What!? No “6” ?

- The program looks ahead one token. It’s waiting for the user
- So, we introduce a “print result” command. Let it be ;
- While we’re at it, we also introduce a “quit” command. Let it be q

The `main()` Program

```
int main()
{
    double val = 0;
    while (cin) {
        Token t = ts.get(); // rather than get_token()
        if (t.kind == 'q') break;           // 'q' for "quit"
        if (t.kind == ';')                 // ';' for "print now"
            cout << val << '\n';           // print result
        else
            ts.putback(t);                 // put a token back into the input stream
        val = expression(); // evaluate
    }
    keep_window_open();
}
// ... exception handling ...
```

Execution

```
2;  
2          an answer  
2+3;  
5          an answer  
3+4*5;  
23         an answer  
q
```

Completing the Program

Now we need to complete the implementation

- `Token` and `Token_stream`; `struct` and `class`
- Get the calculator to work better
- Add features based on experience
- Clean up the code:

After many changes code often becomes a bit of a mess

We want to produce maintainable code

- Prompts
- Program organization
 - constants
- Recovering from errors
- Commenting
- Code review
- Testing

Token

We want a type that can hold a “kind” and a value:

'+'

'8'
2.3

```
struct Token { // define a type called Token
    char kind;    // what kind of token
    double value; // used for numbers (only): a value
};               // semicolon is required

Token t;
t.kind = '8';    // . (dot) is used to access members
                // (use '8' to mean 'number')
t.value = 2.3;

Token u = t;     // a Token behaves much like a built-in type, such as int
                // so u becomes a copy of t
cout << u.value; // will print 2.3
```


Token

```
struct Token { // user-defined type called Token
    char kind;    // what kind of token
    double value; // used for numbers (only): a value
};

Token{'+'}; // make a Token of 'kind' '+'
Token{'8',4.5}; // make a Token of 'kind' '8' and value 4.5
```

- A **struct** is the simplest form of a **class**
- **Class** is C++'s term for **user-defined type**
- Defining types is the crucial mechanism for organizing programs in C++ as in most other modern languages
- a class (including structs) can have
 - **data members** (to hold information), and
 - **function members** (providing operations on the data)

Token_stream

- A `Token_stream` reads characters, producing `Tokens` on demand
- We can put a `Token` into a `Token_stream` for later use
- A `Token_stream` uses a “buffer” to hold tokens we put back into it

Example:

<code>Token_stream</code> buffer:	empty
Input stream:	<code>1+2*3;</code>

For `1+2*3;`, `expression()` calls `term()` which reads `1`, then reads `+`, decides that `+` is a job for “someone else” and puts `+` back in the `Token_stream` (where `expression()` will find it)

<code>Token_stream</code> buffer:	<code>Token('+')</code>
Input stream:	<code>2*3</code>

Token_stream

A `Token_stream` reads characters, producing `Tokens`. We can put back a `Token`.

Definition:

```
class Token_stream {
public: // user interface:
    Token get();           // get a Token
    void putback(Token); // put a Token back into the Token_stream
private: // representation: not directly accessible to users:
    bool full {false};    // is there a Token in the buffer?
    Token buffer;         // here is where we keep a Token put back using putback()
};
// the Token_stream starts out empty: full==false
```

Implementation:

```
void Token_stream::putback(Token t)    // note void when nothing returned
{
    if (full) runtime_error("putback() into a full buffer");
    buffer=t;
    full=true;
}
```

Token_stream

```
Token Token_stream::get()          // read a Token from the Token_stream
{
    // check if we already have a Token ready
    if (full) { full=false; return buffer; }

    char ch;
    cin >> ch;  // note that >> skips whitespace (space, newline, tab, etc.)

    switch (ch) {
        case '(': case ')': case ';': case 'q':
        case '+': case '-': case '*': case '/':
            return Token{ch};          // let each character represent itself
        case '.': case '0': case '1': case '2': case '3': case '4':
        case '5': case '6': case '7': case '8': case '9':
        { cin.putback(ch);            // put digit back into the input stream
          double val;
          cin >> val;                  // read a floating-point number
          return Token{'8',val};      // let '8' represent "a number"
        }
        default:  runtime_error("Bad token");
    }
}
```

Streams

Note that the notion of a **stream of data** is extremely general and very widely used

- Most I/O systems
E.g., C++ standard I/O streams
- with or without a putback/unget operation
We used **putback** for both **Token_stream** and **cin**

Outline

1. Writing a Program

2. A First Version

3. Improvements

Improvements

We can improve the calculator in stages

- Style – clarity of code
- Comments
- Naming
- Use of functions
- Better prompts
- Recovery after error
- Functionality/Features – what it can do
 - Negative numbers
 - % (remainder/modulo)
 - Pre-defined symbolic values
 - Variables
 - ...

~> Major Point

- Providing “extra features” early causes major problems, delays, bugs, and confusion
- “Grow” your programs
 - First get a simple working version
 - Then, add features that seem worth the effort

Prompting

- Initially we said we wanted

```
Expression: 2+3; 5*7; 2+9;  
Result : 5  
Expression: Result: 35  
Expression: Result: 11  
Expression:
```

- But this is what we implemented

```
2+3; 5*7; 2+9;  
5  
35  
11
```

- What do we really want?

```
> 2+3;  
= 5  
> 5*7;  
= 35  
>
```


Adding Prompts and Output Indicators

```
double val = 0;
cout << "> ";           // print prompt
while (cin) {
    Token t = ts.get();
    if (t.kind == 'q') break;           // check for "quit"
    if (t.kind == ';')
        cout << "= " << val << "\n > "; // print "= result" and prompt
    else
        ts.putback(t);
    val = expression();                 // read and evaluate expression
}
```

```
> 2+3; 5*7; 2+9; //the program doesn't see input before you hit "enter/return"
= 5
> = 35
> = 11
>
```

But my Window Disappeared!

Test case: +1;

```
cout << "> ";           // prompt
while (cin) {
    Token t = ts.get();
    while (t.kind == ';'') t=ts.get();    // eat all semicolons
    if (t.kind == 'q') {
        keep_window_open("~~");
        return 0;
    }
    ts.putback(t);
    cout << "= " << expression() << "\n > ";
}
keep_window_open("~~");
return 0;
```

The Code is Getting Messy

- Bugs thrive in messy corners
- Time to clean up!
 - Read through all of the code carefully
Try to be systematic (“have you looked at all the code?”)
 - Improve comments
 - Replace obscure names with better ones
 - Improve use of functions
Add functions to simplify messy code
 - Remove “magic constants”
E.g. '8' (What could that mean? Why '8'?)
- Once you have cleaned up, let a friend/colleague review the code (“code review”)
Typically, do the review together

Remove Magic Constants

- If a “constant” could change (during program maintenance) or if someone might not recognize it, use a symbolic constant
- If a constant is used twice, it should probably be symbolic

```
// Token "kind" values:  
const char number = '8';           // a floating-point number  
const char quit = 'q';             // an exit command  
const char print = ';';            // a print command
```

```
// User interaction strings:  
const string prompt = "> ";  
const string result = "= ";        // indicate that a result follows
```

Remove Magic Constants

```
// In Token_stream::get():

case '.':
case '0': case '1': case '2': case '3': case '4':
case '5': case '6': case '7': case '8': case '9':
    {
        cin.putback(ch); // put digit back into the input
        double val;
        cin >> val; // read a floating-point number
        return Token{number, val}; // rather than Token{'8', val}
    }

// In primary():

case number: // rather than case '8':
    return t.value; // return the number's value
```

Re-test the program whenever you have made a change

Remove Magic Constants

```
// In main():

while (cin) {
    cout << prompt;                // rather than "> "
    Token t = ts.get();
    while (t.kind == print) t=ts.get();    // rather than ==','
    if (t.kind == quit) {                // rather than =='q'
        keep_window_open();
        return 0;
    }
    ts.putback(t);
    cout << result << expression() << endl;
}
```

Recover from Errors

Currently, any user error terminates the program: That's not ideal!

Structure of code

```
int main()
try {
    // ... do "everything" ...
}
catch (exception& e) { // catch errors we understand something about
    // ...
}
catch(...) {           // catch all other errors
    // ...
}
```

Recover from Errors

- Move code that actually does something out of `main()`
- leave `main()` for initialization and cleanup only

```
int main()          // step 1
try {
    calculate();
    keep_window_open();    // cope with Windows console mode
    return 0;
}
catch (exception& e) {    // errors we understand something about
    cerr << e.what() << endl;
    keep_window_open("~~");
    return 1;
}
catch (...) {            // other errors
    cerr << "exception \n";
    keep_window_open("~~");
    return 2;
}
```


Recover from Errors

Separating the read and evaluate loop out into `calculate()` allows us to simplify it no more ugly `keep_window_open()` !

```
void calculate()
{
    while (cin) {
        cout << prompt;
        Token t = ts.get();
        while (t.kind == print) t=ts.get();           // first discard all "prints"
        if (t.kind == quit) return;                  // quit
        ts.putback(t);
        cout << result << expression() << endl;
    }
}
```

Recover from Errors

Move code that handles exceptions from which we can recover from `runtime_error()` to `calculate()`

```
int main()          // step 2
try {
    calculate();
    keep_window_open();    // cope with Windows console mode
    return 0;
}
catch (...) {         // other errors (don't try to recover)
    cerr << "exception \n";
    keep_window_open("~~");
    return 2;
}
```

Recover from Errors

```
void calculate()
{
    while (cin) try {
        cout << prompt;
        Token t = ts.get();
        while (t.kind == print) t=ts.get();      // first discard all "prints"
        if (t.kind == quit) return;             // quit
        ts.putback(t);
        cout << result << expression() << endl;
    }
    catch (exception& e) {
        cerr << e.what() << endl;                // write error message
        clean_up_mess();                          // <<< The tricky part!
    }
}
```

Recover from Errors

First try:

```
void clean_up_mess()
{
    while (true) {                // skip until we find a print
        Token t = ts.get();
        if (t.kind == print) return;
    }
}
```

Unfortunately, that doesn't work that well. Why not? Consider the input `1@z; 1+3`; When you try to `clean_up_mess()` from the bad token `@`, you get a “Bad token” error trying to get rid of `$`
We always try not to get errors while handling errors

Recover from Errors

- Classic problem: the higher levels of a program can't recover well from low-level errors (i.e., errors with bad tokens).
Only `Token_stream` knows about characters
- We must drop down to the level of characters
The solution must be a modification of `Token_stream`:

```
class Token_stream {
public:
    Token get();           // get a Token
    void putback(Token t); // put back a Token
    void ignore(char c);   // discard tokens up to and including a c
private:
    bool full {false};    // is there a Token in the buffer?
    Token buffer;          // here is where we keep a Token put back using putback()
};
```

Recover from Errors

```
void Token_stream::ignore(char c)
    // skip characters until we find a c; also discard that c
{
    // first look in buffer:
    if (full && c==buffer.kind) {    // && means and
        full = false;
        return;
    }
    full = false;    // discard the contents of buffer
    // now search input:
    char ch = 0;
    while (cin>>ch)
        if (ch==c) return;
}
```

Recover from Errors

`clean_up_mess()` now is trivial and it works

```
void clean_up_mess()
{
    ts.ignore(print);
}
```

Note the distinction between what we do and how we do it:

- `clean_up_mess()` is what users see; it cleans up messes The users are not interested in exactly how it cleans up messes
- `ts.ignore(print)` is the way we implement `clean_up_mess()`
We can change/improve the way we clean up messes without affecting users

Summary

1. Writing a Program
2. A First Version
3. Improvements