# DM545/DM871 – Linear and integer programming

Sheet 7, Week 11, Spring 2021

# Exercise 1\* MILP Modeling

Shift scheduling. The administrators of a department of a urban hospital have to organize the working shifts of nurses maintaining sufficient staffing to provide satisfactory levels of health care. Staffing requirements at the hospital during the whole day vary from hour to hour and are reported in Table 1.

Hour	Staffing requirement
0 am to 6 am	2
6 am to 8 am	8
8 am to 11 am	5
11 am to 2 pm	7
2 pm to 4 pm	3
4 pm to 6 pm	4
6 pm to 8 pm	6
8 pm to 10 pm	3
10 pm to 12 pm	1

Table 1:

According to union agreements, nurses can work following one of the seven shift patterns in Table 2 each with its own cost.

pattern	Hours of work	total hours	cost
1	0 am to 6 am	6	720 Dkk
2	0 am to 8 am	6	800 Dkk
3	6 am to 2 pm	8	740 Dkk
4	8 am to 4 pm	8	680 Dkk
5	2 pm to 10 pm	8	720 Dkk
6	4 pm to 12 pm	6	780 Dkk
7	6 pm to 12 pm	6	640 Dkk

Table 2:

The department administrators would like to identify the assignment of nurses to working shifts that meets the staffing requirements and minimizes the total cost.

### Exercise 2\*

Consider the following three matrices:

$$\begin{bmatrix} 1 & 1 & -1 & 0 & 1 \\ 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 1 & 1 \\ 0 & -1 & 1 & 0 & 0 \end{bmatrix} \qquad \begin{bmatrix} 1 & 1 & 0 & 0 & 0 \\ -1 & 0 & 0 & 1 & -1 \\ 0 & -1 & 1 & 0 & 1 \\ 0 & 0 & 1 & 1 & 0 \end{bmatrix} \qquad \begin{bmatrix} 1 & 1 & 1 \\ 1 & -1 & 1 \end{bmatrix}$$

For each of them say if it is totally unimodular and justify your answer.

### Exercise 3\*

In class, we proved that the (mininum) vertex covering problem and the (maximum) matching problem are a weak dual pair. Prove that for bipartite graphs they, actually, are a strong dual pair.

### Exercise 4\*

Generalized Assignment Problem. Suppose there are n types of tracks available to deliver products to m clients. The cost of track of type i serving client j is  $c_{ij}$ . The capacity of track type i is  $Q_i$  and the demand of each client is  $d_j$ . There are  $a_i$  tracks for each type. Formulate an IP model to decide how many tracks of each type are needed to satisfy all clients so that the total cost of doing the deliveries is minimized. If all the input data will be integer, will the solution to the linear programming relaxation be integer?

### Exercise 5

1. In class we stated that for the uncapaciteted facility location problem there are two formulations:

$$X = \{(x, y) \in \mathbb{R}_+^m \times \mathbb{B}^1 : \sum_{i=1}^m x_i \le my, x_i \le 1 \text{ for } i = 1, \dots, m\}$$

$$P = \{(x, y) \in \mathbb{R}^m_+ \times \mathbb{R}^1 : x_i \le y \text{ for } i = 1, ..., m, y \le 1\}$$

Prove that the polyhedron  $P = \{(x_1, \dots, x_m, y) \in \mathbb{R}^{m+1} : y \leq 1, x_i \leq y \text{ for } i = 1, \dots, m\}$  has integer vertices. [Hint: start by writing the constraint matrix and show that it is TUM.]

2. Consider the following (integer) linear programming problem:

min 
$$c_1x_1 + c_2x_2 + c_3x_3 + c_3x_4$$
  
 $x_3 + x_4 \ge 10$   
 $x_2 + x_3 + x_4 \ge 20$   
 $x_1 + x_2 + x_3 + x_4 \ge 30$   
 $x_2 + x_3 \ge 15$   
 $x_1, x_2, x_3, x_4 \in \mathbb{Z}_0^+$ 
(1)

The constraint matrix has consecutive 1's in each column. Matrices with consecutive 1's property for each column are totally unimodular. Show that this fact holds for the specific numerical example (1). That is, show first that the constraint matrix of the problem has consecutive 1s in the columns and then that you can transform this matrix into one that you should recognize to be a TUM matrix. [Hint: rewrite the problem in standard form (that is, in equation form) and add a redundant row  $\mathbf{0} \cdot \mathbf{x} = \mathbf{0}$  to the set of constraints. Then perform elementary row operations to bring the matrix to a TUM form.]

3. Use one of the two previous results to show that the *shift scheduling problem* in Exercise 1 of this Sheet can be solved efficiently when formulated as a mathematical programming problem. (You do not need to find numerical results.)

## Exercise 6\* Network Flows: Problem of Representatives

A town has r residents  $R_1, R_2, \ldots, R_r$ ; q clubs  $C_1, C_2, \ldots, C_q$ ; and p political parties  $P_1, P_2, \ldots, P_p$ . Each resident is a member of at least one club and can belong to exactly one political party. Each club must nominate one of its members to represent it on the town's governing council so that the number of council members belonging to the political party  $P_k$  is at most  $u_k$ . Is it possible to find a council that satisfies this "balancing" property?

Show how to formulate this problem as a maximum flow problem.

## Exercise 7\* Scheduling on Uniform Parallel Machines

We consider scheduling a set J of jobs on M uniform parallel machines. Each job  $j \in J$  has a processing requirement  $p_j$  (denoting the number of machine days required to complete the job), a release data  $r_j$  (representing the beginning of the day when job j become available for processing), and a due date  $d_j \geq r_j + p_j$  (representing the beginning of the day by which the job must be completed). We assume that a machine can work on only one job at a time and that each job can be processed by at most one machine at a time. However we allow preemptions (ie, we can interrupt a job and process it on different

machines on different days). The scheduling problem is to determine a feasible schedule that completes all jobs before their due dates or to show that no such schedule exists. Formulate the feasible scheduling problem as a maximum flow problem.

## Exercise 8\* Tanker Scheduling Problem

A steamship company has contracted to deliver perishable goods between several different origindestination pairs. Since the cargo is perishable the customers have specified precise dates (ie, delivery dates) when the shipments must reach their destinations. (The cargoes may not arrive early or late). The steamship company wants to determine the minimum number of ships needed to meet the delivery dates of the shiploads.

Formulate this problem as a maximum flow problem modeling the example in Table 3 with four shipments. Each shipment is a full shipload with the characteristics shown in Table 3. For example, as specified by the first row in this figure, the company must deliver one shipload available at port A and destined for port C on day 3.

ship-	origin	desti-	delivery				
ment		nation	date	- C D		Α	В
1	Port A	Port C	3			, <b>,</b>	
2	Port A	Port C	8	71 3 2	C	2	
3	Port B	Port D	3	<u>B 2 3</u>	<u>D</u>	1	
4	Port B	Port C	6				

Table 3: Data for the tanker scheduling problem: Left shipment characteristics; Center, shipment transit times; Right return times.

## Exercise 9\* Directed Chinese Postman Problem

Suppose a postman has to deliver mail along all the streets in a small town. Assume furthermore that on one-way streets the mail boxes are all on one side of the street, whereas for two-way streets, there are mail boxes on both sides of the street. For obvious reasons the postman wishes to minimize the distance he has to travel in order to deliver all the mail and return home to his starting point. Show how you can solve this problem using minimum cost flows. A similar model can be formulated for the Snow Plow problem or the Salt Spreding problem.

## Exercise 10

The production plan of a factory for the next year is to produce  $d_t$  units of product per month t,  $t=1,\ldots,12$ . Each worker can produce k units of product in a month. The monthly salary is equal to s. Employing and firing personnel has costs: precisely, employing one person costs p while firing one costs q. Assuming that initially there are  $q_0$  workers, determine the number of workers that must be present during every month such that the demand is always satisfied and the overall costs of salary, employment, and firing are minimized.

## Exercise 11 Warehousing of Seasonal Products

A company manufactures multiple products. The products are seasonal with demand varying weekly, monthly, or quarterly. To use its work-force and capital equipment efficiently, the company wishes to "smooth" production, storing pre-season production to supplement peak-season production. The company has a warehouse with fixed capacity R that it uses to store all the products it produces. Its decision problem is to identify the production levels of all the products for every week, month, or quarter of the year that will permit it to satisfy the demands incurring the minimum possible production and storage costs.

We can represent this warehousing problem as a relevant generalization of the min cost network flow problem encountered in the course.

For simplicity, consider a situation in which the company makes two products and then it needs to schedule its production for each of the next four quarters of the year. Let  $d_j^1$  and  $d_j^2$  denote the demand for products 1 and 2 in quarter j. Suppose that the production capacity for the jth quarter is  $u_j^1$  and  $u_j^2$ , and that the per unit cost of production for this quarter is  $c_j^1$  and  $c_j^2$ . Let  $h_j^1$  and  $h_j^2$  denote the storage (holding) costs per unit of the two products from quarter j to quarter j+1.




Figure 1:

Represent graphically the network in the two products four periods case and write the Linear Programming formulation of the problem. Which network flows problem models this application? If all input data are integer, will the solution be integer?

### Exercise 12

A managing director has to launch the marketing of a new product. Several candidate products are at his disposal and he has to choose the best one. Hence, he let each of these products be analysed by a team made of an engineer and a trader who write a review together. The teams are made along the graph in Figure 1; each edge corresponds to a product and its endvertices to the engineer and trader examining it.

- a) How many people at least does the managing director gather in order to have the report on all the products? (The report can be given by either the engineer or the trader.)
- b) Assuming now that the report must be done jointly by an engineering and a trader, and that each engineer and trader can be occupied with only one candidate product, give a polynomial time algorithm to identify which products will for sure not have the possibility to obtain a report.